Adolescent Substance Use

Mary Egan, MA, CADC Director of Outreach

Learning Points

Current drug trends

Signs and symptoms

Treatment options

Even the very best school is a difficult place for a child.

Michael Thompson, Ph.D., The Pressured Child

Adolescents struggling with anxiety and depression will often self-medicate with drugs and alcohol.

Watch for Emerging Mental Health Issues

- 'I can't handle the pressure of school/sports/family life (anxiety)'
- 'I don't like myself/feel comfortable in my own skin (depression)'
- 'I can't take the memory of what happened/is happening (abuse/trauma)'
- 'I can't focus in school (ADHD)'



What are the risk factors?

- Early initiation
- Behavior Problems
- Poor emotional regulation
- Poor grades
- Too much work
- Attitudes
- ADHD
- Common Liability Model.

Cannabinoids

Marijuana is the most widely available and used illegal drug in the U.S.

Cannabinoids

Effects

- Increased heart rate
- Bloodshot eyes
- Dry mouth
- Increased appetite
- Brain changes causing
 Mood changes developmental delays

- Short-term memory loss
- Paranoia
- Aggression
- Psychosis

Cannabis

Withdrawal symptoms

Irritability, difficulty sleeping, anxiety and depression

Mental/Emotional

Pleasant sensations and colors, intensified perception of sound, impaired short term memory, reduced ability to perform tasks requiring concentration, reduced motivation, depression, anxiety

Cannabinoids How High?

- 'High' lasts 2-3 hours, up to 6 hours in some studies
- THC percentage higher
- Impairment can last up to 24 hours
- Effect on driving- delayed reaction (DUI drug)



Vaping/e-cigs

Battery-operated devices designed to deliver nicotine w/flavorings and other chemicals to users in vapor rather than smoke

- Gateway to traditional cigarettes
- Usually relatively odorless and difficult to distinguish between nicotine and cannabis vape device
- Not regulated by FDA



Juul (pronounced jewel)

Specific vaping product from Pax Labs similar to an ecigarette used to ingest nicotine

- Liquid contains nicotine salts extracted from the tobacco leaf (2x nicotine of previous e-cigs)
- Variety of flavors
- Cool mint
- Mango
- Crème brule



Dabs

Dabs is a highly concentrated butane hash oil (BHO) created in a process where high quality cannabis is blasted with butane and extracted.

- Heated and inhaled
- Contains 70-90% THC compared to 5-15% THC in regular cannabis
- Wax, oil, shatter, crumble
- Sauce, distillate

Rig

A rig is a device used to vaporize and inhale dabs.

- Looks similar to a water pipe or bong
- Usually a nail is heated with a handheld torch to a high temperature and a small piece of the concentrate is 'dabbed' onto a nail
- Vapor released is then inhaled through the pipe





Edibles

- Increasingly popular alternative to smoking marijuana
- Produced to infuse marijuana into various ingestible forms
- Problem is that effects are hard to predict and difficult to know dose



Other Terms for Cannabis


- Bud
- Dank
- Nug
- Loud
- Fire
- Gas



Here's the problem with marijuana...

- Rapid brain growth in key parts of the brain continues into the 20s.
- Marijuana use in adolescence interferes with natural brain development in some of these key areas.
- Hippocampus (memory), amygdala (emotion and anxiety), nucleus accumbens (motivation), hypothalamus (appetite, stress), cerebellum (muscle coordination)

Source: http://www.jneurosci.org/content/34/16/5529.full



Cannabis Use Disorders

Clients served at RGW in 2017

•	Cannabis	773
•	Alcohol	141
•	Opioid	119
•	Sedative, Hypnotic or Anxiolytic	71
•	Stimulant	50
•	Depressive Disorders	24
•	Hallucinogen	18

Alcohol



In 2014, 45% percent of Illinois seniors reported having attended or hosted a party at which alcohol was served with parent's knowledge or consent.

Illinois Youth Survey, 2014

Sobering facts

 People who drink before the age 14: up to 8 times more likely to develop alcoholism than those who start drinking after age 21.



Substance Abuse and Mental Health Services Administration, *Results from the 2014 National Survey on Drug Use and Health: Summary of National Findings*.

Prescription drugs

More teens abuse prescription drugs than any illicit drug except marijuana.

Bars (Ladders)

Another name for the rectangular shaped Xanax (antianxiety medication) with three lines in them (typically 2mg per 'bar').

- The term "barred out" means being highly sedated due to Xanax consumption.
- School bus (yellow 'bar')
- Hulks, green monsters (green)





Addies

Slang term for ADHD medication Adderall. It is a mixture of amphetamine salts.

- Commonly prescribed for ADHD
- Occasionally abused by students seeking a competitive advantage in their studies
- Replaced Ritalin as ADHD med
- Vyvanse



Prescription opiates

Common types

- Vicodin
- Norco
- Oxycontin
- Fentanyl
- Percocet
- Tylenol with codeine


Routes of admission

- Injected
- Taken orally
- Snorted
- Smoked



Where do you get these drugs?

Sources of Pain Relievers for Most Recent Nonmedical Use, ≥ 12 years



- Obtained free from a friend or relative
- Bought from friend or relative
- Took from a friend or relative without asking
- From one doctor
- Other, including bought on internet
- Bought from drug dealer

Lean (sizzurp/purple drank)

- Prescription strength cough syrup mixed with sprite (promethazine and codeine are active ingredients)
- Danger arises in high doses because both are depressants increasing overdose risk
- Several popular members of hip hop community have died from respiratory depression due to ingestion



Hiding Places

- Writing Utensils
- Personal Hygiene Items
- Cars
- Toilets and Vents
- Altoid Tins
- Posters
- Books
- Clothes







Hiding Places

- Soda Cans
- Hair brush
- "Axe" bottle
- Candles
- Wall Safe
- Chap stick









Hiding Places

- Bottle opener
- Surge protector
- Flip flops



Signs & Symptoms

Physical/Emotional

- Unexplained extreme mood swings, nodding off
- Increased aggression or anxiety
- Change in dress or appearance/hygiene
 Changes in sleeping habits
- Inability to focus
- •Dilated or constricted pupils and bloodshot eyes

- Threats and attempts
 of suicide
- Nosebleeds/unexplain ed burns
- Loss of appetite yet periods of binge eating

Signs & Symptoms

Social

- Changes in friends
- Drug use by friends
- Engaging in risky behavior
- Avoids contact with concerned persons
- Loses interests in hobbies/activities
- Secretive and defensive regarding actions and possessions
- Possession of paraphernalia



How do we Identify someone using substances in school?

- Misses excessive time from school
- Fails to turn in assignments
- Sleeps in class
- Exhibits persistent behavioral problems
- Reduced grades
- Increased tardiness
- Reduced interest in extracurricular activities

How To Help

Positive change occurs in the context of authentic relationships—people need to know someone cares and will be there unconditionally for them. It is a transactional and facilitating process of supporting change and capacity building—not fixing.



How Can I Help?

- Gather information from the adolescent
- Communicate concerns with parents, teachers, counselors
- Make a referral for a free assessment



What You Can Do

Educate yourself about addiction.

What does addiction look like for teens? What's normal behavior and what's not?

Don't go it alone.

Involve key people and build support and opportunity for intervention with others.

An intervention is not a one time event.

"Getting past no!" is a process. Continue to monitor with concern.

Strategies to get past NO

• Act quickly when the time is right! Use a crisis to expedite treatment or action.

• **"Think outside the box."** Remove barriers as they are presented.


 Don't underestimate the power of consequences and boundaries
 Fewer boundaries for teens today. Make the connection between behavior and consequences.

Tips for working with youth

- Start with normal conversation. Express that you care.
- Say with 'this is what I have observed' rather than accusing.
- Use data: Grades, smelling of alcohol, coming home high or late- concrete examples
- Don't ask 'have you ever?', instead ask 'when did you' or 'how much' or 'how often'
- Point out that this is a serious health issue.
 You're concerned about their health.

Visit our website

www.rosecrance.org



Rosecrance Healing Garden at the Griffin Williamson Campus





Rosecrance Griffin Williamson

Campus

1601 N. University Dr. Rockford, IL 61107

Services offered:

- Free confidential drug and alcohol and mental health evaluations
- Partial hospitalization
- Residential substance abuse treatment
 & Specialized Mental Health Services treatment
 - Gender specific counseling
 - Experiential therapies including art, music, recreation, and horticulture
 - Family education and support
 - Transition planning
 - Alumni program
- Recovery homes for teens also offered in Rockford.



Adult Services:

- Free Assessments
- Individual/Family Counseling
- Intensive Outpatient Program
- Day Treatment
- Recovery Home







Teen & Adult Services:

- Free Assessments
- Early Intervention Services
- Intensive Outpatient Program
- Urine drug screens offered at an

additional cost

 Resources and trainings for parents, professionals and community members

Services:

- Free Assessments
- Early Intervention Services
- Urine drug screens offered at an additional cost
- Resources and trainings for parents, professionals and community members







rosecrance life's waiting

Mary Egan, MA,CADC Director of Outreach 708-497-5928